


Fingerprint module  
FPM 600-0 AG  
210009608-00



## Product description

Fingerprint module as access control system with function LED.

Performance features:

- Not backwards-compatible with the FPM 611-02
- Stand-alone operation
- Up to 100 user fingerprints
- Up to 5 user groups
- Capacitive line sensor

## Specifications

Operating voltage:	12 V AC, 12–30 V DC
Operating current:	120 mA AC, 70 mA DC
Contact type:	contact 24 V, 2 A
Switching time:	3 sec
Protection system:	IP 54
Ambient temperature:	–20 °C to +55 °C
Height of structure (mm):	17
Dimensions (mm) W x H x D:	99 x 99 x 43

## Article information

Article designation	Article description	Colour/Material	KG SAP article no.
FPM 600-0 AG	Fingerprint module	Anthracite grey	D 210009608-00

## Accessories

Article designation	Article description	Colour/Material	KG	SAP article no.
Vario 611 AG	Touch-up applicator	Anthracite grey	0	210007124-00

## Spare parts



Fingerprint module  
FPM 600-0 AG

210009608

Page 2

**Article designation**

FPM 611-...  
Vario 611

**Article description**

Terminal block  
Sealing frame modules

**Colour/Material**

Black  
Grey

**KG**

E  
E


**SAP article  
no.**

200029928-00  
210007484-00

Fingerprint module  
FPM 600-0 AG

210009608

Page 3





Fingerprint module  
FPM 600-0 AG

210009608

Page 4

---

FPM 600-0 Fingerprint module	Product information	958 kB	Download
FPM 6xx-... Fingerprint table	Programming template	85,7 kB	Download
FPM 600-...	Declaration of Conformity	762 kB	Download
PRS 602-02 V5.5.0 Vario bus programming software	Software	175 MB	Download
	Additional information	109 kB	Download
	System manual	5,9 MB	Download