



Siedle Compact audio door station
CA 850-1 E

210008733-00

Product description

Siedle Compact audio door station, for installation in the In-Home bus or as a replacement device in the Siedle Basic audio set. With the functions calling, speech and door release.

Performance features:

- Integrated door loudspeaker
- Adjustable voice volume
- Number of integrated call buttons: 1
- Acoustic button acknowledgement can be activated
- Backlit nameplates exchangeable from the front
- Backlit info sign for house number, logos, opening times, etc.
- for surface mounting with brushed stainless steel panel

Specifications

Contact type:	contact 24 V, 2 A
Protection system:	IP 54
Ambient temperature:	-20 °C to +55 °C
Dimensions (mm) W x H x D:	82 x 226 x 29

Article information

Article designation	Article description	Colour/Material	KGSAP article no.
CA 850-1 E	Siedle Compact audio door station	Brushed stainless steel	A 210008733-00

Spare parts

Article designation	Article description	Colour/Material	KG	SAP article no.
CA 812-..., BCV/BCVU/CA/CAU/CV/CVU/ Loudspeaker STA/STV 850-...		Others	E	200029867-00
CA 812-..., CA/CAU 850-...	Insert for info sign	White	E	200029872-00
CA 812-..., CA/CAU/CVU 850-..., CV 850-x-03, -04	Microphone	Others	E	200029868-00
CA 812-..., CA/CV 850-..., BCV 850-...	Siedle screw-turner	Others	E	200029931-00
CA 812-1, CA 850-1 E	Upper part of the housing	Brushed stainless steel	E	210008751-00



Siedle Compact audio
door station
CA 850-1 E

210008733


Page 2

Article designation	Article description	Colour/Material	KG	SAP article no.
CA 812-1, CA/CAU 850-1, BCV/BCVU/ CV/CVU 850-1-...	Nameplate superstructure	Clear glass	E	200029864-00
CA 812-1, CA/CAU 850-1, BCV/BCVU/ CV/CVU 850-1-...	Nameplate insert	White	E	200029869-00

Siedle Compact audio
door station
CA 850-1 E

210008733

Page 3





Siedle Compact audio
door station
CA 850-1 E

210008733

Page 4

CA 850-x E Siedle Compact audio door station

Product information

2,4 MB

[Download](#)

CA 850-... Siedle Compact Audio

Declaration of Conformity

1,5 MB

[Download](#)

Additional information

109 kB

[Download](#)