



Product description

Bus door loudspeaker module Plus for Siedle Vario with integrated loudspeaker and microphone, as well as additional audio amplifier, noise filter and control electronics for the status display.

Performance features:

- Front grille made of weather and UV-resistant polycarbonate
- Loudspeaker, voice volume can be adjusted
- Voice volume can be doubled via the audio amplifier (with additional supply)
- Durable electret microphone
- Light button with LED-lit light symbol
- Potential-free work contact for door release, can be controlled without additional wiring via existing bus line
- Integrated camera actuation
- Connection of a ZAM 600-... status display module for optical and acoustic signalling of the operating state is possible
- Connection of a COM 611-... code lock module and/or DRM 612-... display call module for digital call input is possible
- Acoustic feedback when pressing a call button can be activated

Specifications

| | |
|----------------------------|-------------------------------|
| Contact type: | Contact 15 V AC, 30 V DC, 2 A |
| Switching time: | DR, 3 sec |
| Additional supply | 22–32 V DC |
| Ambient temperature: | –20 °C to +55 °C |
| Protection system: | IP 54 |
| Height of structure (mm): | 9 |
| Dimensions (mm) W x H x D: | 99 x 99 x 35 |

Article information

| Article designation | Article description | Colour/Material | KGSAP article no. |
|---------------------|----------------------------------|---------------------|-------------------|
| BTLM 651-0 AG | Bus door loudspeaker module Plus | Anthracite grey | A 210007335-00 |
| BTLM 651-0 DG | Bus door loudspeaker module Plus | Micaceous dark grey | A 210007336-00 |
| BTLM 651-0 SM | Bus door loudspeaker module Plus | Silver metallic | A 210007338-00 |
| BTLM 651-0 W | Bus door loudspeaker module Plus | White | A 210007339-00 |



Bus door loudspeaker
module Plus
BTLM 651-0

Page 2

Accessories


| Article designation | Article description | Colour/Material | KG SAP article no. |
|---------------------|---------------------|---------------------|--------------------|
| Vario 611 AG | Touch-up applicator | Anthracite grey | 0 210007124-00 |
| Vario 611 DG | Touch-up applicator | Micaceous dark grey | 0 210007123-00 |
| Vario 611 SM | Touch-up applicator | Silver metallic | 0 210007117-00 |
| Vario 611 W | Touch-up applicator | White | 0 210007116-00 |

Spare parts

| Article designation | Article description | Colour/Material | KG SAP article no. |
|--|--------------------------------|---------------------|--------------------|
| ATLM/CATLM/SATLM 671-..., BTLM/CBTLM/SBTLM 651-... | Loudspeaker | Others | E 210011870-00 |
| BTLM 651-... | Terminal block | Black | E 210007906-00 |
| TLM 611/612-02, BTLM 650-04/651-0, ATLM 670/671-0 | Microphone | Others | E 210011867-00 |
| TLM 61x-01, BTLM 650-... AG | Light button with light symbol | Anthracite grey | E 210007065-00 |
| TLM 61x-01, BTLM 650-... DG | Light button with light symbol | Micaceous dark grey | E 200029980-00 |
| TLM 61x-01, BTLM 650-... SM | Light button with light symbol | Silver metallic | E 200029098-00 |
| TLM 61x-01, BTLM 650-... W | Light button with light symbol | White | E 200029096-00 |
| Vario 611 | Sealing frame modules | Grey | E 210007484-00 |

Bus door loudspeaker
module Plus
BTLM 651-0

Page 3





Bus door loudspeaker module Plus BTLM 651-0

Page 4

| | | | |
|---|---------------------------|--------|----------|
| BTLM 651-0 Bus door loudspeaker module Plus | Product information | 695 kB | Download |
| Vario 611 Mounting instructions | Product information | 1,1 MB | Download |
| BTLM 651-0 Bus door loudspeaker module Plus | Declaration of Conformity | 764 kB | Download |
| | Additional information | 109 kB | Download |