

Door loudspeaker
module
telecommunication
TLM/TK 511-0 T

200015531-00

Product description

Exchange of TLM 511-0, -01, -02 in existing systems

- Non-Siedle TC systems with and without PVG 402-0
- Existing Siedle duplex intercom system
- PVZ 322-...
- Zentravox systems with HTZ 351/361
- New Intercom-3000 systems
- Lift station LS 3000-... for SIC 3000 system
- Central call intercom systems
- Door connection of all Siedle TC systems with the relevant interfaces. Weather-proof door loudspeaker module with potential-free light current light button and illuminated light symbol as well as LEDs for engaged and speech functions.

Specifications

Dimensions (mm) W x H x D: 93 x 93 x 20

Article information

Article designation	Article description	Colour	KGSAP article no.
TLM/TK 511-0 T	Door loudspeaker module telecommunication	Titanium metallic	D 200015531-00


Accessories

Article designation	Article description	Colour	KG	SAP article no.
MR 51x/524-...	Key for mounting frame	Brushed stainless steel	E	210007019-00
Vario 611 TM	Touch-up applicator	Titanium metallic	0	210007118-00

Door loudspeaker
module
telecommunication
TLM/TK 511-0 T

200015531

Page 2





Door loudspeaker
module
telecommunication
TLM/TK 511-0 T

200015531

Page 3

Vario 511 Mounting instructions

TLM-TK 511-...

Product information

3,8 MB

[Download](#)

Declaration of Conformity

135 kB

[Download](#)

Additional information

420 kB

[Download](#)