

Free-standing
communication
pedestal
KSF 616-1/3 SM
200024004-00

Product description

Free-standing communication pedestal made of sectional extruded aluminium, powder coated / painted, with base flange. Inclusive of mounting frame to accommodate 4 functional modules.

Specifications

Profile dimensions (mm) W x H: 131 x 150
Dimensions (mm) W x H x D: 211 x 1644 x 230

Article information

| Article designation | Article description | Colour/Material | KGSAP article no. |
|---------------------|--------------------------------------|-----------------|-------------------|
| KSF 616-1/3 SM | Free-standing communication pedestal | Silver metallic | B 200024004-00 |

Accessories

| Article designation | Article description | Colour/Material | KG | SAP article no. |
|---------------------|---------------------------------------|-----------------|----|-----------------|
| MA/KSF/KSA 611-0 | Mounting adapter/communication pillar | Black | B | 200018785-00 |
| Vario 611 SM | Touch-up applicator | Silver metallic | 0 | 210007117-00 |
| ZE/KS/KSF 611-0 | Ground element accessory | Others | A | 200036337-00 |
| ZVD/KSF 611-0 | Accessory junction box | Grey | B | 200021206-00 |


Spare parts

| Article designation | Article description | Colour/Material | KG | SAP article no. |
|---------------------------|---------------------|-----------------|----|-----------------|
| KS/KSF/KSFB/SR 61x-... SM | Screw cover | Silver metallic | E | 210005311-00 |

Free-standing
communication
pedestal
KSF 616-1/3 SM

200024004

Page 2





Free-standing
communication
pedestal
KSF 616-1/3 SM

200024004

Page 3

| | | | |
|--|---------------------------|--------|----------|
| KSF/KS 613-.../616-... LS 604-.../608-... Communication pedestal Light pedestal | Product information | 850 kB | Download |
| Information and tips on care and cleaning | Product information | 327 kB | Download |
| | Declaration of Conformity | 140 kB | Download |
| | Additional information | 140 kB | Download |