

Call button module
TM 612-3 W

200035521-00



Product description

Call button module with nameplate pocket, 3 nameplates and 3 separate call buttons with bell symbol.

Specifications

| | |
|----------------------------|------------------|
| Nameplate size (mm) W x H: | 65 x 28 |
| Call button (mm) W x H: | 24 x 32 |
| Protection system: | IP 54 |
| Ambient temperature: | -20 °C to +55 °C |
| Dimensions (mm) W x H x D: | 99 x 99 x 27 |

Article information

| Article designation | Article description | Colour/Material | KG | SAP article no. |
|---------------------|---------------------|-----------------|----|-----------------|
| TM 612-3 W | Call button module | White | A | 200035521-00 |

Accessories

| Article designation | Article description | Colour/Material | KG | SAP article no. |
|---------------------|---------------------|-----------------|----|-----------------|
| Vario 611 W | Touch-up applicator | White | 0 | 210007116-00 |


Spare parts


| Article designation | Article description | Colour/Material | KG | SAP article no. |
|-------------------------|------------------------------|-----------------|----|-----------------|
| TM 612-3 | Terminal block | Black | E | 210007298-00 |
| TM 612-3, BTM 650-03 W | Complete nameplate | White | E | 200029794-00 |
| TM 612-3/BTM 650-03 W | Call button with bell symbol | White | E | 200029806-00 |
| TM 61x-..., BTM 650-... | Nameplate insert | White | E | 210007478-00 |
| Vario 611 | Sealing frame modules | Grey | E | 210007484-00 |

Call button module
TM 612-3 W

200035521

Page 2





Call button module
TM 612-3 W

200035521

Page 3

Vario 611 Installation instructions
TM 612-...

| | | |
|---------------------------|--------|----------|
| Product information | 723 kB | Download |
| Declaration of Conformity | 715 kB | Download |
| Additional information | 140 kB | Download |
| System manual | 2,5 MB | Download |