

Call button module
TM 612-3 TM
200035522-00



Product description

Call button module with nameplate pocket, 3 nameplates and 3 separate call buttons with bell symbol.

Specifications

| | |
|----------------------------|------------------|
| Nameplate size (mm) W x H: | 65 x 28 |
| Call button (mm) W x H: | 24 x 32 |
| Protection system: | IP 54 |
| Ambient temperature: | -20 °C to +55 °C |
| Dimensions (mm) W x H x D: | 99 x 99 x 27 |

Article information

| Article designation | Article description | Colour | KG | SAP article no. |
|---------------------|---------------------|-------------------|----|-----------------|
| TM 612-3 TM | Call button module | Titanium metallic | D | 200035522-00 |

Accessories

| Article designation | Article description | Colour | KG | SAP article no. |
|---------------------|---------------------|-------------------|----|-----------------|
| Vario 611 TM | Touch-up applicator | Titanium metallic | 0 | 210007118-00 |



Spare parts

| Article designation | Article description | Colour | KG | SAP article no. |
|-------------------------|------------------------------|-------------------|----|-----------------|
| TM 612-3 | Terminal block | Black | E | 210007298-00 |
| TM 612-3, BTM 650-03 TM | Complete nameplate | Titanium metallic | E | 200029793-00 |
| TM 612-3/BTM 650-03 TM | Call button with bell symbol | Titanium metallic | E | 200029805-00 |
| TM 61x-..., BTM 650-... | Nameplate insert | White | E | 210007478-00 |
| Vario 611 | Sealing frame modules | Grey | E | 210007484-00 |

Call button module
TM 612-3 TM

200035522


Page 2



Call button module
TM 612-3 TM

200035522

Page 3



TM 612-...

Declaration of Conformity

2,3 MB

[Download](#)

Additional information

420 kB

[Download](#)

System manual

2,5 MB

[Download](#)