


Code lock module
COM 611-02 TM

200036515-00



Product description

Code lock module as input unit for access control and for making door calls.

Depending on the functional scope of the access control and the intercom system, further devices are required for management and control functions.

- LED as status indicator, only for Vario (external potential-free contact)
- Door release button for direct door release via the EC 602-...
- Control functions (e.g. roller shutters)

Specifications

Operating voltage:	12 V AC
Operating current:	max. 140 mA
Protection system:	IP 54
Ambient temperature:	-20 °C to +55 °C
Dimensions (mm) W x H x D:	99 x 99 x 27

Article information

Article designation	Article description	Colour/Material	KG	SAP article no.
COM 611-02 TM	Code lock module	Titanium metallic	D	200036515-00

Accessories

Article designation	Article description	Colour/Material	KG	SAP article no.
Vario 611 TM	Touch-up applicator	Titanium metallic	0	210007118-00




Spare parts


Article designation	Article description	Colour/Material	KG	SAP article no.
COM 611-...	Terminal block	Black	E	210007300-00
Vario 611	Sealing frame modules	Grey	E	210007484-00

Code lock module
COM 611-02 TM

200036515

Page 2





Code lock module
COM 611-02 TM

200036515

Page 3

COM 611-02 Code lock module	Product information	538 kB	Download
COM 611-... Code lock module (Door call)	Manual	594 kB	Download
COM 611-... Code lock module (Switching function)	Manual	382 kB	Download
COM 611-... Code lock module	Declaration of Conformity	665 kB	Download
	Additional information	140 kB	Download