



Door loudspeaker  
module  
telecommunication  
TLM/TK 611-02 W  
200036935-00

## Product description

Door loudspeaker module telecommunication for Siedle Vario with integrated loudspeaker and microphone, for 4-wire connection (separate loudspeaker and microphone circuit) to telephone systems.

### Performance features:

- Front grille made of weather and UV-resistant polycarbonate
- Durable electret microphone, microphone sensitivity can be adjusted
- Potential-free light button with LED-lit light symbol

## Specifications

Contact type:	contact 24 V, 2 A
Protection system:	IP 54
Ambient temperature:	-20 °C to +55 °C
Dimensions (mm) W x H x D:	99 x 99 x 35

## Article information

Article designation	Article description	Colour/Material	KGSAP article no.
TLM/TK 611-02 W	Door loudspeaker module telecommunication	White	D 200036935-00

## Accessories

Article designation	Article description	Colour/Material	KG	SAP article no.
Vario 611 W	Touch-up applicator	White	0	210007116-00

## Spare parts

Article designation	Article description	Colour/Material	KG	SAP article no.
TLM 611/612-02, BTLM 650-04/651-0, ATLM 670/671-0	Microphone	Others	E	210011867-00
TLM 611/612/645- TLE 051-02, TLE 061-0, BTLM 650-	Loudspeaker	Others	E	200029074-00
TLM 61x-01, BTLM 650-... W	Light button with light symbol	White	E	200029096-00



Door loudspeaker  
module  
telecommunication  
TLM/TK 611-02 W

200036935

Page 2

**Article designation**

TLM/TK 611-0

**Article description**

Circuit board

**Colour/Material**

Others

**KG**

E

**SAP article  
no.**

Door loudspeaker  
module  
telecommunication  
TLM/TK 611-02 W

200036935

Page 3





Door loudspeaker  
module  
telecommunication  
TLM/TK 611-02 W

200036935

Page 4

---

TLM/TK 611-02 Door loudspeaker module	Product information	55,1 kB	<a href="#">Download</a>
TLM/TK 611-...	Declaration of Conformity	1 MB	<a href="#">Download</a>
	Additional information	140 kB	<a href="#">Download</a>