



Programming interface  
USB  
PRI 602-01 USB  
200036940-00

## Product description

The programming interface PRI 602-... USB in a switch panel housing connects a Windows PC via the USB port to the Siedle In-Home bus and the Siedle Vario bus.

Connection to the line rectifiers BNG 650-... and BVNG 650-... via ZBVG 650-...  
Interface to the Siedle In-Home bus via 8-pin Western socket or via screw terminals.  
Only one PRI 602-... USB can be connected to a PC.

## Specifications

Operating voltage:	10–15 V AC or 10–30 V DC
Protection system:	IP 20
Ambient temperature:	0 °C to +40 °C
Horizontal pitch (HP):	3
Dimensions (mm) W x H x D:	53.5 x 89 x 60

## Article information

Article designation	Article description	Colour/Material	KG SAP article no.
PRI 602-01 USB	Programming interface USB	Black	D 200036940-00



Programming interface  
USB  
PRI 602-01 USB

200036940

Page 2





Programming interface  
USB  
PRI 602-01 USB

200036940

Page 3

---

PRI 602-01 USB Programming interface

Product information

422 kB

[Download](#)

PRI 602-... USB

Declaration of Conformity

406 kB

[Download](#)

Additional information

140 kB

[Download](#)