



Door loudspeaker  
module 6+n  
TLM 611-02 DG  
200038809-00

## Product description

Door loudspeaker module 6+n technology for Siedle Vario with integrated loudspeaker and microphone.

### Performance features:

- Front grille made of weather and UV-resistant polycarbonate
- Loudspeaker, voice volume can be adjusted
- Durable electret microphone, microphone sensitivity can be adjusted
- Potential-free light button with LED-lit light symbol

## Specifications

Contact type:	contact 24 V, 2 A
Protection system:	IP 54
Ambient temperature:	-20 °C to +55 °C
Dimensions (mm) W x H x D:	99 x 99 x 35

## Article information

Article designation	Article description	Colour/Material	KGSAP article no.
TLM 611-02 DG	Door loudspeaker module 6+n	Micaceous dark grey	A 200038809-00

## Accessories

Article designation	Article description	Colour/Material	KG	SAP article no.
Vario 611 DG	Touch-up applicator	Micaceous dark grey	0	210007123-00

## Spare parts

Article designation	Article description	Colour/Material	KG	SAP article no.
BTLE 050-.../-03, BTLM 650-..., TLM 611/612-...	Loudspeaker	Others	E	200029074-01
TLM 611-...	Terminal block	Black	E	210007289-00
TLM 611/612-02, BTLM 650-04/651-0, ATLM 670/671-0	Microphone	Others	E	210011867-00



Door loudspeaker  
module 6+n  
TLM 611-02 DG

200038809

Page 2

## Article designation

TLM 61x-01, BTLM 650-... DG  
Vario 611

## Article description

Light button with light symbol  
Sealing frame modules

## Colour/Material

Micaceous dark grey  
Grey

## KG

E  
E

## SAP article no.

200029980-00  
210007484-00

Door loudspeaker  
module 6+n  
TLM 611-02 DG

200038809

Page 3





Door loudspeaker  
module 6+n  
TLM 611-02 DG

200038809

Page 4

---

TLM 611-02 Door loudspeaker module

TLM 611-...

Product information

259 kB

[Download](#)

Declaration of Conformity

601 kB

[Download](#)

Additional information

140 kB

[Download](#)