



Electronic-key reading  
module  
ELM 611-02 DG  
200038897-01

## Product description

Electronic key reading module as a contactless access control system with LED function.

As reading unit of electronic keys or cards for opening doors, gates etc.

Suitable for:

- Stand-alone operation

A maximum of 9 electronic keys or cards can be used.

- Operation with entrance controller EC 602-...

A maximum of 899 electronic keys or cards can be used.

Programming takes place using PRI 602-... USB or PRI 602-... and PRS 602-...

## Specifications


Operating voltage:	12 V AC or 12–30 V DC
Operating current:	max. 120 mA or max. 50 mA
Contact type:	contact 24 V, 2 A
Protection system:	IP 54
Ambient temperature:	–20 °C to +55 °C
Dimensions (mm) W x H x D:	99 x 99 x 27

## Article information

Article designation	Article description	Colour/Material	KGSAP article no.
ELM 611-02 DG	Electronic-key reading module	Micaceous dark grey	B 200038897-01

## Accessories

Article designation	Article description	Colour/Material	KG	SAP article no.
EK 600-0/03	Electronic key	Black	B	210008424-00
EK 600-0/10	Electronic key	Black	B	210008425-00
EKC 600-0/03	Electronic key card	Black	B	210008422-00
EKC 600-0/10	Electronic key card	Black	B	210008423-00
Vario 611 DG	Touch-up applicator	Micaceous dark grey	0	210007123-00



Electronic-key reading  
module  
ELM 611-02 DG

210008362

Page 2


## Spare parts


Article designation	Article description	Colour/Material	KG	SAP article no.
ELM 600/611-...	Terminal block	Black	E	200029924-00
ELM 611-02, ELM 600-0 DG	Screen frame	Micaceous dark grey	E	210006028-01
ELM 611-02, ELM 600-0 DG	Screen frame	Micaceous dark grey	E	210006028-00
Vario 611	Sealing frame modules	Grey	E	210007484-00

Electronic-key reading  
module  
ELM 611-02 DG

210008362

Page 3





Electronic-key reading  
module  
ELM 611-02 DG

210008362

Page 4

---

ELM 611-02 Electronic-key reading module

Product information

414 kB

[Download](#)

Declaration of Conformity

140 kB

[Download](#)

Additional information

140 kB

[Download](#)