



Analogue in-house
telephone
HTA 811-0 W
200039976-00

Product description

Analogue in-house telephone for the replacement and expansion of existing door intercom systems with 6+n technology or wire-saving.

With the basic functions calling, speech, door release and storey call. Electronic call generator with three-tone chime, alpha tone for door calls and continuous tone for storey calls.

Performance features

- Potential-free door release and light button
- Integrated audio privacy device for all applications (assignment if required)
- Electronic call signal with door/storey call differentiation, alpha and continuous tone
- Stepless call volume adjustment max. 83 dB(A)
- Plug-in handset for simple assembly
- Conversion for table-top mounting using suitable accessory

Specifications

Contact type:	2 n.o. contacts 24 V, 1 A
Ambient temperature:	+5 °C to +40 °C
Dimensions (mm) W x H x D:	91 x 201 x 46

Article information

Article designation	Article description	Colour/Material	KG SAP article no.
HTA 811-0 W	Analogue in-house telephone	White	C 200039976-00

Accessories

Article designation	Article description	Colour/Material	KG	SAP article no.
HH 800-0	Hearing aid-compatible receiver	White	E	200087165-00
HT/NB 800-0 W	In-house telephone retrofit panel	White	D	210008889-00
ZT 811-01 W	Table-top accessory	White	C	210006820-00

Spare parts



Analogue in-house
telephone
HTA 811-0 W

200039976

Page 2

Article designation	Article description	Colour/Material	KG	SAP article no.
BTS 850-..., HTA/HTS 811-... W	Housing complete	White	E	200029583-00
HT 811/840/850/870-... W	Receiver with no-tangle cord	White	E	200029573-00
HTA 811-...	Terminals	Yellow	E	200029884-00

Analogue in-house
telephone
HTA 811-0 W

200039976

Page 3





Analogue in-house
telephone
HTA 811-0 W

200039976

Page 4

HTA 811-0 Analogue in-house telephone	Product information	843 kB	Download
BTS/BTC 850-..., HTA 811-..., HTS/HTC 811-..., HT 840 Complete housing, Receiver with spiral cord	Product information	1,4 MB	Download
HTA 811-0 Analogue in-house telephone	Manual	173 kB	Download
HTA 811-...	Declaration of Conformity	2,1 MB	Download
	Additional information	140 kB	Download