


Combination frame  
 KR 613-4 SM  
 200040829-00



## Product description

Combination frame for modernising an existing Vario 511 door station to the current Vario 611 series, made of sectional extruded aluminium powder-coated or painted.

Pass-through and flush-mount housings that are already plastered in can continue to be used. Fixing material for installing three pass-through flaps is included.

## Specifications

Dimensions (mm) W x H x D: 331 x 465 x 15

## Article information

| Article designation | Article description | Colour          | KG | SAP article no. |
|---------------------|---------------------|-----------------|----|-----------------|
| KR 613-4 SM         | Combination frame   | Silver metallic | C  | 200040829-00    |

## Accessories

| Article designation | Article description       | Colour          | KG | SAP article no. |
|---------------------|---------------------------|-----------------|----|-----------------|
| Vario 611 SM        | Touch-up applicator       | Silver metallic | 0  | 210007117-00    |
| ZB/KR 613-0         | Accessory fixing material | Others          | C  | 210011316-00    |


## Spare parts

| Article designation | Article description                      | Colour | KG | SAP article no. |
|---------------------|--|--------|----|-----------------|
| MR 611-...          | Mounting set flush-mount housing fixture | Others | E  | 210005104-00    |
| MR 611-...          | Key for mounting frame                   | Others | E  | 210007513-00    |

Combination frame  
KR 613-4 SM

200040829

Page 2



Combination frame  
KR 613-4 SM

200040829

Page 3



---

|                              |                           |        |                          |
|------------------------------|---------------------------|--------|--------------------------|
| KR 613-... Combination frame | Product information       | 707 kB | <a href="#">Download</a> |
|                              | Declaration of Conformity | 140 kB | <a href="#">Download</a> |
| REACH Information            | Additional information    | 824 kB | <a href="#">Download</a> |