



Standard in-house
telephone
HTS 811-01 E/S
200041527-00

Product description

Standard in-house telephone for 1+n technology in high-grade plastic.

With the basic functions calling, speech, door release, light and storey call.

Performance features:

- Door release and light button integrated
- Hearing protection, audio privacy function integrated
- Parallel switching of max. 2 telephones without internal communication
- Electronic call generator with 3-tone call signal for door call, 2-tone call signal for storey call
- Call silencing by means of volume controller (turned completely to the left, lock-in position)
- Call volume accessible from outside
- Door release/light function at any time
- Plug-in spiral cable for simple installation
- Call tones when connecting: to side circuit installation
- Door call: 3-tone call signal, storey call: 2-tone call signal
- To ETC 602-... Front/storey door loudspeaker: 3-tone call signal, storey call: 2-tone call signal
- Call volume up to max. 83 dB(A)
- Can be used as a table-top unit using table-top accessory ZTS 800-...

Specifications

Ambient temperature:	+5 °C to +40 °C
Dimensions (mm) W x H x D:	91 x 201 x 46

Article information

Article designation	Article description	Colour/Material	KGSAP article no.
HTS 811-01 E/S	Standard in-house telephone	Stainless steel/black	B 200041527-00

Accessories

Article designation	Article description	Colour/Material	KG	SAP article no.
HT/NB 800-0 S	In-house telephone retrofit panel	Black	D	210008890-00
ZTS 800-01 S	Standard table-top accessory	Black	A	200040930-00

Standard in-house
telephone
HTS 811-01 E/S

200041527

Page 2



Spare parts

Article designation	Article description	Colour/Material	KG	SAP article no.
HT 811/840/850/870-... S	Receiver with no-tangle cord	Black	E	200029894-00
HTS 811-...	Terminals	Grey	E	200029589-00
HTS 811-0	Circuit board	Others	E	200029579-00

Standard in-house
telephone
HTS 811-01 E/S

200041527

Page 3





Standard in-house
telephone
HTS 811-01 E/S

200041527

Page 4

HTS 811-0 Standard In-House Telephone	Product information	777 kB	Download
HTS 811-0 Standard in-house telephone	Manual	151 kB	Download
HTS 811-...	Declaration of Conformity	2 MB	Download
	Additional information	140 kB	Download