



Standard in-house  
telephone  
HTS 811-0 SH/S  
200041532-00

## Product description

Standard in-house telephone for 1+n technology in high-grade plastic.

With the basic functions calling, speech, door release, light and storey call.

Performance features:

- Door release and light button integrated
- Hearing protection, audio privacy function integrated
- Parallel switching of max. 2 telephones without internal communication
- Electronic call generator with 3-tone call signal for door call, 2-tone call signal for storey call
- Call silencing by means of volume controller (turned completely to the left, lock-in position)
- Call volume accessible from outside
- Door release/light function at any time
- Plug-in spiral cable for simple installation
- Call tones when connecting: to side circuit installation
- Door call: 3-tone call signal, storey call: 2-tone call signal
- To ETC 602-... Front/storey door loudspeaker: 3-tone call signal, storey call: 2-tone call signal
- Call volume up to max. 83 dB(A)
- Can be used as a table-top unit using table-top accessory ZTS 800-...

## Specifications

Ambient temperature:	+5 °C to +40 °C
Dimensions (mm) W x H x D:	91 x 201 x 46

## Article information

Article designation	Article description	Colour	KGSAP article no.
HTS 811-0 SH/S	Standard in-house telephone	High gloss black/black	C 200041532-00

## Accessories

Article designation	Article description	Colour	KG	SAP article no.
HT/NB 800-0 S	In-house telephone retrofit panel	Black	D	210008890-00
ZTS 800-01 S	Standard table-top accessory	Black	A	200040930-00



Standard in-house  
telephone  
HTS 811-0 SH/S

200041532

Page 2

---

## Spare parts

---

Article designation	Article description	Colour	KG	SAP article no.
HT 811/840/850/870-... S	Receiver with no-tangle cord	Black	E	200029894-00
HTS 811-...	Terminals	Grey	E	200029589-00

Standard in-house  
telephone  
HTS 811-0 SH/S

200041532

Page 3





Standard in-house  
telephone  
HTS 811-0 SH/S

200041532

Page 4

---

HTS 811-0 Standard In-House Telephone	Product information	777 kB	<a href="#">Download</a>
HTS 811-0 Standard in-house telephone	Manual	151 kB	<a href="#">Download</a>
HTS 811-...	Declaration of Conformity	2 MB	<a href="#">Download</a>
	Additional information	420 kB	<a href="#">Download</a>