



Access custom-fit door
loudspeaker incl. Bus
call button matrix
ATLE 670-0

200041757-00

Product description

Access custom-fit door loudspeaker with bus call button matrix for installation in the customer's intercom compartments, door intercom systems, letterboxes, etc.

Scope of supply:

- Access custom-fit door loudspeaker (ATLE 670-...)
- Bus call button matrix (BRMA 050-...), 12 customer-provided call buttons can be connected

ATLE 670-... performance features

- Loudspeaker
- Durable electret microphone
- Connection of a ZAM 670-... status display module for optical and acoustic signalling of the operating state
- Integrated camera actuation
- Universal fastening options; when used with the ZJ 051-... grille, it can be screwed onto this directly

Specifications

Protection system:	Dependent on the mounting conditions
Dimensions (mm) W x H x D:	ATLE 670-0 124 x 60 x 31, BRMA 050-01 53 x 100 x 17
Dimensions housing (mm) W x H x D:	100 x 60 x 31

Article information

Article designation	Article description	Colour	KG	SAP article no.
ATLE 670-0	Access custom-fit door loudspeaker incl. Bus call button matrix	Black	F	200041757-00

Accessories

Article designation	Article description	Colour	KG	SAP article no.
BRMA 050-01	Bus call button matrix	White	A	200035455-00
ZJ 051-0	Louvre accessory	Black	A	200008139-00
ZTL 051-0	Universal mounting adapter	Black	A	200009632-01

Spare parts

Access custom-fit door
loudspeaker incl. Bus
call button matrix
ATLE 670-0

200041757

Page 2



Article designation	Article description	Colour	KG	SAP article no.
ATLE/CATLE/ATLM/SATLM 670-...	Loudspeaker	Others	E	210011868-00
BTLE 050-.../-03, TLE 051-02, TLE 061-0	Microphone	Others	E	200017559-00

Access custom-fit door
loudspeaker incl. Bus
call button matrix
ATLE 670-0

200041757

Page 3



Access custom-fit door
loudspeaker incl. Bus
call button matrix
ATLE 670-0

200041757

Page 4



ATLE 670-0 Access custom-fit door loudspeaker incl. Bus call button matrix	Product information	617 kB	Download
ATLE 670-0 Access custom-fit door loudspeaker incl. Bus call button matrix	Declaration of Conformity	224 kB	Download
	Commissioning instruction	2,2 MB	Download
	Additional information	420 kB	Download
	System manual	8 MB	Download