



Siedle Classic door station audio  
CL 111-3 B-02

200042881-00

## Product description

Classic door station for the In-Home bus with stainless steel front, brushed V4A. Only for mounting on existing flush-mount housing "size B" of series TL 111.

### Components:

- CBTLE 050-... door loudspeaker with integrated loudspeaker and microphone, voice volume can be adjusted
- 3 call buttons with backlit nameplate, exchangeable from the front, acoustic feedback when pressing a call button can be activated

## Specifications

Ambient temperature:	-20 °C to +55 °C
Dimensions front panel (mm) W x H x D:	171 x 277 x 2

## Article information

Article designation	Article description	Colour/Material	KGSAP article no.
CL 111-3 B-02	Siedle Classic door station audio	Brushed stainless steel	D 200042881-00

## Accessories

Article designation	Article description	Colour/Material	KG	SAP article no.
ZNSM/CL-02	Metal Classic accessory nameplate	Others	D	200043063-00

## Spare parts

Article designation	Article description	Colour/Material	KG	SAP article no.
CL 02 Siedle Classic	Complete button without circuit board	Others	E	200044537-00
CL 02 Siedle Classic	Nameplate upper part call button	Clear glass	E	200029966-00
CL 02-1 Siedle Classic	Button circuit board	Others	E	200044533-00
CL 02-2 Siedle Classic	Button circuit board	Others	E	200044534-00
CL 02-3 Siedle Classic	Button circuit board	Others	E	200044535-00



Siedle Classic door  
station audio  
CL 111-3 B-02

200042881

Page 2

**Article designation**

TL 111/411-...

**Article description**

Bit for Portavox dual-hole screws

**Colour/Material**

Others

**KG**

E

**SAP article  
no.**


210007473-01



Siedle Classic door  
station audio  
CL 111-3 B-02

200042881

Page 3





Siedle Classic door  
station audio  
CL 111-3 B-02

200042881

Page 4

---

CL 111-1...6 B-02 & CL 411 BD2A 01...03 Classic door station Siedle Classic -02	Product information	1,3 MB	Download
	Declaration of Conformity	2,2 MB	Download
	Additional information	140 kB	Download