

Bus video panel  
BVPC 850-0 W

200044075-00



## Product description

Bus video panel with 17.8 cm touchscreen for Siedle In-Home bus.

With the functions calling, speech, vision, door release, light, storey call/switching/control functions, signal displays and internal communication.

## Specifications

Operating voltage:	20–30 V DC
Operating current:	max. 400 mA
Contact type:	potential-free S1/S1 max. 15 V AC, 30 V DC, 1 A switching time 0.4 sec - 19 min
Ambient temperature:	+5 °C to +40 °C
Dimensions (mm) W x H x D:	202 x 202 x 30

## Article information

Article designation	Article description	Colour/Material	KG	SAP article no.
BVPC 850-0 W	Bus video panel	White	D	200044075-00

## Accessories

Article designation	Article description	Colour/Material	KG	SAP article no.
ZTVP 850-0 E	Table-top accessory	Brushed stainless steel	D	200044550-00
ZTVP 850-0 W	Table-top accessory	White	D	200044552-00

## Spare parts

Article designation	Article description	Colour/Material	KG	SAP article no.
BTSV/BTCV/BFSV/BFCV 850-...	Terminals	Blue	E	200029597-00
BTSV/BTCV/BFSV/BFCV 850-...	RC element In-Home bus: Video	Others	E	200029965-00

Bus video panel  
BVPC 850-0 W

200044075

Page 2





Bus video panel  
BVPC 850-0 W

200044075

Page 3

---

BVPC 850-0 Bus video panel	Product information	1 MB	Download
BVPC 850-0 Bus video panel	Product information	1,2 MB	Download
BVPC 850-0 Bus video panel	Manual	26,8 MB	Download
BVPS/BVPC 850-0 Standard/Deluxe bus video panel	Declaration of Conformity	3,2 MB	Download
	Additional information	140 kB	Download