



Comfort handsfree bus  
telephone intercom  
BFC 850-0 WH/W

200044423-00

---

## Product description

---

Comfort handsfree bus telephone intercom for Siedle In-Home bus.

With the functions calling, speech, door release, light, storey call, switching/control functions and internal communication.

Performance features:

- Integrated audio privacy device
- Muting and status display
- Parallel switching of 4 bus deluxe handsfree telephones (from the 3rd device, the PRI 602-... USB and ZBVG 650-... are required for programming)
- Call differentiation for storey call, 2 door calls and internal call
- Set callback
- Call generator with 11 call tone sequences, including chime
- Call volume adjustable in 5 stages up to max. 83 dB(A)
- Door release/light function at any time using bus cores
- Door connection possible at any time
- 8 display LEDs (e.g. door open)
- 8 function buttons, 7 freely configurable and capable of double assignment. Button functions can be freely assigned and actuated without additional installation via bus wires, e.g. for internal telephony
- Door call acceptance
- Large-area button (as speech/control button)
- Base plate with pre-installable terminals
- Parallel switching accessory ZPSF 850-..., in order to connect a maximum of 4 additional bus handsfree telephones in parallel, retrofittable.
- Interfacing relay accessory ZARF 850-... retrofittable
- Can be used with table-top accessory ZTS 800-... as a table-top device
- Call forwarding
- Collective announcement
- Automatic call pick-up with internal call
- Doormatic

---

## Specifications

---

|                            |                 |
|----------------------------|-----------------|
| Operating voltage:         | via In-Home bus |
| Ambient temperature:       | +5 °C to +40 °C |
| Dimensions (mm) W x H x D: | 91 x 201 x 27   |

---

## Article information

---



Comfort handsfree bus  
telephone intercom  
BFC 850-0 WH/W

200044423

Page 2

| Article designation | Article description                      | Colour/Material        | KGSAP article no. |
|---------------------|--|------------------------|-------------------|
| BFC 850-0 WH/W      | Comfort handsfree bus telephone intercom | High gloss white/white | C 200044423-00    |

## Accessories

| Article designation | Article description                    | Colour/Material | KG | SAP article no. |
|---------------------|--|-----------------|----|-----------------|
| HT/NB 800-0 W       | In-house telephone retrofit panel      | White           | D  | 210008889-00    |
| ZARF 850-0          | Handsfree interfacing relay accessory  | Others          | C  | 200036236-00    |
| ZPSF 850-0          | Handsfree parallel switching accessory | Others          | C  | 200037039-00    |
| ZTS 800-01 W        | Standard table-top accessory           | White           | A  | 200044472-00    |



## Spare parts

| Article designation | Article description         | Colour/Material | KG | SAP article no. |
|---------------------|-----------------------------|-----------------|----|-----------------|
| BFC 850-...         | Insert for button functions | White           | E  | 200039964-00    |
| BFC/BFCV 850-...    | Transparent cover           | Clear glass     | E  | 200039966-00    |
| BFS/BFC 850-...     | Terminals                   | Blue            | E  | 200029592-00    |

Comfort handsfree bus  
telephone intercom  
BFC 850-0 WH/W

200044423

Page 3





Comfort handsfree bus  
telephone intercom  
BFC 850-0 WH/W

200044423

Page 4

---

|  |                           |         |                          |
|--|---------------------------|---------|--------------------------|
| BFC 850-0 Comfort handsfree bus telephone intercom | Product information       | 1,5 MB  | <a href="#">Download</a> |
| BFC 850-0 Comfort handsfree bus telephone intercom | Manual                    | 619 kB  | <a href="#">Download</a> |
|  | Declaration of Conformity | 140 kB  | <a href="#">Download</a> |
|  | Additional information    | 140 kB  | <a href="#">Download</a> |
|  | Labeling service          | 0 Bytes | <a href="#">Download</a> |