SSS SIEDLE

Standard in-house telephone
HTS 811-01 E/W

200044641-00

Product description

Standard in-house telephone for 1+n technology in high-grade plastic.

With the basic functions calling, speech, door release, light and storey call.
Performance features:
• Door release and light button integrated
• Hearing protection, audio privacy function integrated
• Parallel switching of max. 2 telephones without internal communication
• Electronic call generator with 3-tone call signal for door call, 2-tone call signal for storey call
• Call silencing by means of volume controller (turned completely to the left, lock-in position)
• Call volume accessible from outside
• Door release/light function at any time
• Plug-in spiral cable for simple installation
• Call tones when connecting: to side circuit installation
• Door call: 3-tone call signal, storey call: 2-tone call signal
• To ETC 602-… Front/storey door loudspeaker: 3-tone call signal, storey call: 2-tone call signal
• Call volume up to max. 83 dB(A)
• Can be used as a table-top unit using table-top accessory ZTS 800-…

Specifications

Ambient temperature:	+5 °C to +40 °C
Dimensions (mm) W x H x D:	91 x 201 x 46

Article information

Article designation	Article description	Colour/Material	KG	SAP article no.
HTS 811-01 E/W	Standard in-house telephone	Stainless steel/white	C	200044641-00

Accessories

Article designation	Article description	Colour/Material	KG	SAP article no.
HH 800-0	Hearing aid-compatible receiver	White	E	200087165-00
HT/NB 800-0 W	In-house telephone retrofit panel	White	D	210008889-00
ZTS 800-01 W	Standard table-top accessory	White	A	200044472-00

Standard in-house telephone
HTS 811-01 E/W

200044641

Spare parts

Article designation	Article description	Colour/Material	KG	SAP article no.
HT 811/840/850/870-... W	Receiver with no-tangle cord	White	E	200029573-00
HTS 811-...	Terminals	Grey	E	200029589-00
HTS 811-0	Circuit board	Others	E	200029579-00

Standard in-house telephone
HTS 811-01 E/W

200044641

HTS 811-0 Standard In-House Telephone	Product information	777 kB	Download
HTS 811-0 Standard in-house telephone	Manual	151 kB	Download
HTS 811-...	Declaration of Conformity	2 MB	Download
	Additional information	140 kB	Download