



Access camera 130 for  
Siedle Vario  
ACM 673-03 DG  
200048205-03

## Product description

Access camera 130 for Siedle Vario with automatic day/night switchover (True Day/Night) and integrated infrared lighting. Horizontal/vertical pick-up angle: appr. 130°/100°

Wide Dynamic Range (WDR)  
Colour system: PAL  
Image pick-up: CMOS sensor 1/3" 728 x 488 Pixel  
Resolution: 550 TV lines  
Lens: 2.1 mm  
Continuous operation: suitable  
2-step heating: Integrated

## Specifications

Protection system:	IP 54, IK 10
Ambient temperature:	-20 °C to +55 °C
Height of structure (mm):	15
Dimensions (mm) W x H x D:	99 x 99 x 41

## Article information

Article designation	Article description	Colour/Material	KGSAP article no.
ACM 673-03 DG	Access camera 130 for Siedle Vario	Micaceous dark grey	F 200048205-03

## Accessories

Article designation	Article description	Colour/Material	KG	SAP article no.
Vario 611 DG	Touch-up applicator	Micaceous dark grey	0	210007123-00

## Spare parts

Article designation	Article description	Colour/Material	KG	SAP article no.
ACM 671/673/678-..., BCM 65x-..., CM 61x-...	Glass cover	Clear glass	E	200048697-00




Access camera 130 for  
Siedle Vario  
ACM 673-03 DG

210011103

Page 2

Article designation	Article description	Colour/Material	KG	SAP article no.
ACM 671/673/678-..., BCM 65x-..., CM 61x-... DG	Screen frame	Micaceous dark grey	E	200048701-00
ACM 67x-...	Terminal block	Black	E	200029836-00
Vario 611	Sealing frame modules	Grey	E	210007484-00



Access camera 130 for  
Siedle Vario  
ACM 673-03 DG

210011103

Page 3





Access camera 130 for  
Siedle Vario  
ACM 673-03 DG

210011103

Page 4

---

Camera 130/180	Product information	1,3 MB	<a href="#">Download</a>
ACM 673-... Access camera module 130	Declaration of Conformity	1,5 MB	<a href="#">Download</a>
	Additional information	140 kB	<a href="#">Download</a>