



Access camera 80 for  
Siedle Vario  
ACM 670-03 DG  
200049019-01

## Product description

Access camera 80 for Siedle Vario with automatic day/night switchover (True Day/Night) and integrated infrared lighting. Horizontal/vertical pick-up angle: appr. 80°/60°

Colour system: PAL  
Image pick-up: CMOS sensor 1/3" 756 x 504 Pixel  
Resolution: 550 TV lines  
Lens: 2.9 mm  
Mechanical adjustment range: 30° horizontal/vertical  
2-step heating: Integrated

## Specifications

Protection system:	IP 54, IK 10
Ambient temperature:	-20 °C to +55 °C
Height of structure (mm):	32
Dimensions (mm) W x H x D:	99 x 99 x 58

## Article information

Article designation	Article description	Colour/Material	KGSAP article no.
ACM 670-03 DG	Access camera 80 for Siedle Vario	Micaceous dark grey	F 200049019-01

## Accessories

Article designation	Article description	Colour/Material	KG	SAP article no.
Vario 611 DG	Touch-up applicator	Micaceous dark grey	0	210007123-00

## Spare parts

Article designation	Article description	Colour/Material	KG	SAP article no.
ACM 670-..., CMx 61x-..., BCMx 650-... DG	Screen frame	Micaceous dark grey	E	210007302-00
ACM 67x-...	Terminal block	Black	E	200029836-00



Access camera 80 for  
Siedle Vario  
ACM 670-03 DG

210006667

Page 2

**Article designation**

BCMx 650-..., CMC 612-...  
Vario 611

**Article description**

Glass cover  
Sealing frame modules

**Colour/Material**


Clear glass  
Grey

**KG**

E  
E

**SAP article  
no.**

200036408-00  
210007484-00



Access camera 80 for  
Siedle Vario  
ACM 670-03 DG

210006667

Page 3





Access camera 80 for  
Siedle Vario  
ACM 670-03 DG

210006667

Page 4

---

Camera 80	Product information	953 kB	<a href="#">Download</a>
ACM 670-... Access camera module	Declaration of Conformity	620 kB	<a href="#">Download</a>
	Additional information	140 kB	<a href="#">Download</a>