



System-free camera 80
for Siedle Vario
CMC 612-03 DG
200049032-01

Product description

System-free camera 80 for Siedle Vario with automatic day/night switchover (True Day/Night) and integrated infrared lighting. Horizontal/vertical pick-up angle: appr. 80°/60°

Colour system: PAL
Image pick-up: CMOS sensor 1/3" 756 x 504 Pixel
Resolution: 550 TV lines
Lens: 2.9 mm
Mechanical adjustment range: 30° horizontal/vertical
2-step heating: 12 V AC max. 130 mA
Video output: 1 Vss at 75 Ohm

Specifications

Operating voltage:	20–30 V DC
Operating current:	max. 95 mA
Protection system:	IP 54, IK 10
Ambient temperature:	–20 °C to +55 °C
Height of structure (mm):	32
Dimensions (mm) W x H x D:	99 x 99 x 58

Article information

Article designation	Article description	Colour/Material	KGSAP article no.
CMC 612-03 DG	System-free camera 80 for Siedle Vario	Micaceous dark grey	D 200049032-01

Accessories

Article designation	Article description	Colour/Material	KG	SAP article no.
Vario 611 DG	Touch-up applicator	Micaceous dark grey	0	210007123-00

Spare parts



System-free camera 80
for Siedle Vario
CMC 612-03 DG

210006677

Page 2

Article designation	Article description	Colour/Material	KG	SAP article no.
ACM 670-..., CMx 61x-..., BCMx 650-... DG	Screen frame	Micaceous dark grey	E	210007302-00
BCMx 650-..., CMC 612-...	Glass cover	Clear glass	E	200036408-00
CMx 612-..., CM 611-...	Terminal block	Black	E	200029922-00

System-free camera 80
for Siedle Vario
CMC 612-03 DG

210006677

Page 3





System-free camera 80
for Siedle Vario
CMC 612-03 DG

210006677

Page 4

Camera 80	Product information	953 kB	Download
CMC 612-... Colour Camera Module	Declaration of Conformity	1,1 MB	Download
	Additional information	109 kB	Download