


Status display module
ZAM 600-01 DG

200087982-00



Product description

Status display module with visual and acoustic feedback. Four backlit LED symbols signal the different statuses: "Call", "Not available", "Speech" and "Door release".

For use in Siedle In-Home bus or Siedle Multi intercom systems.

Together with the In-Home bus, it can only be used with the Bus door loudspeaker module Plus BTLM 651-...

Specifications

Operating voltage:	12 V AC, 15–32 V DC
Operating current:	70 mA
Protection system:	IP 54
Ambient temperature:	–20 °C to +55 °C
Dimensions (mm) W x H x D:	99 x 99 x 26

Article information

Article designation	Article description	Colour/Material	KG	SAP article no.
ZAM 600-01 DG	Status display module	Micaceous dark grey	E	200087982-00

Accessories

Article designation	Article description	Colour/Material	KG	SAP article no.
Vario 611 DG	Touch-up applicator	Micaceous dark grey	0	210007123-00


Spare parts


Article designation	Article description	Colour/Material	KG	SAP article no.
Vario 611	Sealing frame modules	Grey	E	210007484-00
ZAM 600-...	Terminal block	Black	E	210010989-00

Status display module
ZAM 600-01 DG

200087982

Page 2





Status display module
ZAM 600-01 DG

200087982

Page 3

ZAM 600-0 Status display module	Product information	1 MB	Download
ZAM 600-01, ZAM 670-0 Status display module	Product information	792 kB	Download
ZAM 600-0 Status display module	Declaration of Conformity	520 kB	Download
	Additional information	140 kB	Download