



Access camera 80 for
Siedle Vario
ACM 670-03 AG

210004893-01

Product description

Access camera 80 for Siedle Vario with automatic day/night switchover (True Day/Night) and integrated infrared lighting. Horizontal/vertical pick-up angle: appr. 80°/60°

Colour system: PAL
Image pick-up: CMOS sensor 1/3" 756 x 504 Pixel
Resolution: 550 TV lines
Lens: 2.9 mm
Mechanical adjustment range: 30° horizontal/vertical
2-step heating: Integrated

Specifications

Protection system:	IP 54, IK 10
Ambient temperature:	-20 °C to +55 °C
Height of structure (mm):	32
Dimensions (mm) W x H x D:	99 x 99 x 58

Article information

Article designation	Article description	Colour/Material	KGSAP article no.
ACM 670-03 AG	Access camera 80 for Siedle Vario	Anthracite grey	F 210004893-01

Accessories

Article designation	Article description	Colour/Material	KG	SAP article no.
Vario 611 AG	Touch-up applicator	Anthracite grey	0	210007124-00

Spare parts

Article designation	Article description	Colour/Material	KG	SAP article no.
ACM 670-..., CMx 61x-..., BCMx 650-... AG	Screen frame	Anthracite grey	E	210007074-00
ACM 67x-...	Terminal block	Black	E	200029836-00



Access camera 80 for
Siedle Vario
ACM 670-03 AG

210006665

Page 2

Article designation

BCMx 650-..., CMC 612-...
Vario 611

Article description

Glass cover
Sealing frame modules

Colour/Material


Clear glass
Grey

KG

E
E

**SAP article
no.**

200036408-00
210007484-00




Access camera 80 for
Siedle Vario
ACM 670-03 AG

210006665

Page 3





Access camera 80 for
Siedle Vario
ACM 670-03 AG

210006665

Page 4

Camera 80	Product information	953 kB	Download
ACM 670-... Access camera module	Declaration of Conformity	620 kB	Download
	Additional information	140 kB	Download