



Door loudspeaker
module
telecommunication
TLM/TK 611-02 AG

210004996-00

Product description

Door loudspeaker module telecommunication for Siedle Vario with integrated loudspeaker and microphone, for 4-wire connection (separate loudspeaker and microphone circuit) to telephone systems.

Performance features:

- Front grille made of weather and UV-resistant polycarbonate
- Durable electret microphone, microphone sensitivity can be adjusted
- Potential-free light button with LED-lit light symbol

Specifications

Contact type:	contact 24 V, 2 A
Protection system:	IP 54
Ambient temperature:	-20 °C to +55 °C
Dimensions (mm) W x H x D:	99 x 99 x 35

Article information

Article designation	Article description	Colour/Material	KGSAP article no.
TLM/TK 611-02 AG	Door loudspeaker module telecommunication	Anthracite grey	D 210004996-00

Accessories

Article designation	Article description	Colour/Material	KG	SAP article no.
Vario 611 AG	Touch-up applicator	Anthracite grey	0	210007124-00

Spare parts

Article designation	Article description	Colour/Material	KG	SAP article no.
TLM 611/612-02, BTLM 650-04/651-0, ATLM 670/671-0	Microphone	Others	E	210011867-00
TLM 611/612/645- TLE 051-02, TLE 061-0, BTLM 650-	Loudspeaker	Others	E	200029074-00
TLM 61x-01, BTLM 650-... AG	Light button with light symbol	Anthracite grey	E	210007065-00



Door loudspeaker
module
telecommunication
TLM/TK 611-02 AG

210004996

Page 2

Article designation

TLM/TK 611-0

Article description

Circuit board

Colour/Material

Others

KG

E

**SAP article
no.**

Door loudspeaker
module
telecommunication
TLM/TK 611-02 AG

210004996

Page 3





Door loudspeaker
module
telecommunication
TLM/TK 611-02 AG

210004996

Page 4

TLM/TK 611-02 Door loudspeaker module

Product information

55,1 kB

[Download](#)

Declaration of Conformity

140 kB

[Download](#)

Additional information

140 kB

[Download](#)