

Call button module
TM 612-2 AG

210004998-00



Product description

Call button module with nameplate pocket, 2 nameplates, 2 separate call buttons with bell symbol.

Specifications

| | |
|----------------------------|------------------|
| Nameplate size (mm) W x H: | 65 x 44.5 |
| Call button (mm) W x H: | 24 x 49 |
| Protection system: | IP 54 |
| Ambient temperature: | -20 °C to +55 °C |
| Dimensions (mm) W x H x D: | 99 x 99 x 27 |

Article information

| Article designation | Article description | Colour/Material | KG | SAP article no. |
|---------------------|---------------------|-----------------|----|-----------------|
| TM 612-2 AG | Call button module | Anthracite grey | A | 210004998-00 |

Accessories

| Article designation | Article description | Colour/Material | KG | SAP article no. |
|---------------------|---------------------|-----------------|----|-----------------|
| Vario 611 AG | Touch-up applicator | Anthracite grey | 0 | 210007124-00 |

Spare parts

| Article designation | Article description | Colour/Material | KG | SAP article no. |
|--------------------------------|------------------------------|-----------------|----|-----------------|
| TM 612-1/-2, BTM 650-01/-02 AG | Call button with bell symbol | Anthracite grey | E | 210007066-00 |
| TM 612-2 | Terminal block | Black | E | 210007297-00 |
| TM 612-2, BTM 650-02 AG | Complete nameplate | Anthracite grey | E | 210007069-00 |
| TM 61x-..., BTM 650-... | Nameplate insert | White | E | 210007478-00 |
| Vario 611 | Sealing frame modules | Grey | E | 210007484-00 |

Call button module
TM 612-2 AG

210004998

Page 2





Call button module
TM 612-2 AG

210004998

Page 3

TM 612-...

Declaration of Conformity

2,3 MB

[Download](#)

Additional information

140 kB

[Download](#)

System manual

2,5 MB

[Download](#)