

Siedle Compact video
door station
CV 850-2-02 W

210005114-02

Product description

Siedle Compact video door station in bus technology with the functions calling, speech, vision and door release, as a replacement device for the door station in the Siedle Basic video set SET CVB 850-2.
Number of integrated call buttons: 2

Performance features:

- Integrated camera with automatic day/night switchover, LED lighting and 2-stage heating
- Integrated door loudspeaker
- Adjustable voice volume
- Number of integrated call buttons: 1 (CV 850-1-02), 2 (CV 850-2-02)
- Acoustic button acknowledgement can be activated
- Backlit nameplates exchangeable from the front
- For surface mounting with housing front made of high-quality plastic

Specifications

| | |
|----------------------------|-------------------|
| Contact type: | contact 24 V, 2 A |
| Protection system: | IP 54, IK 8 |
| Ambient temperature: | -20 °C to +40 °C |
| Dimensions (mm) W x H x D: | 82 x 226 x 39 |


Article information

| Article designation | Article description | Colour/Material | KGSAP article no. |
|---------------------|-----------------------------------|-----------------|-------------------|
| CV 850-2-02 W | Siedle Compact video door station | White | E 210005114-02 |

Siedle Compact video
door station
CV 850-2-02 W

210007867

Page 2





Siedle Compact video
door station
CV 850-2-02 W

210007867

Page 3

CV 850-1/2-02 Siedle Compact video door station
CV 850-...

Product information

1,4 MB

[Download](#)

Declaration of Conformity

782 kB

[Download](#)

Additional information

43,6 kB

[Download](#)