

Vario bus switch
VBW 600-0 DG

210006195-00

Product description

The Vario bus switch is designed for large projects and connects two intercom systems with one another. Mixed operation of the In-Home bus, Access and Multi systems is possible.

Communication takes place via the three interfaces of the switch. Only data for call and display functions with feedback is processed. The door call takes place via interface A. The Vario bus switch forwards the call to the intercom systems via interfaces B and C. No data is exchanged between interfaces B and C. The power supply must be provided on interface B.

Specifications

Operating voltage:	12 V AC, 15 V DC
Operating current:	max. 50 mA
Dimensions (mm) W x H x D:	99 x 99 x 26

Article information

Article designation	Article description	Colour/Material	KG SAP article no.
VBW 600-0 DG	Vario bus switch	Micaceous dark grey	E 210006195-00


Accessories


Article designation	Article description	Colour/Material	KG	SAP article no.
Vario 611 DG	Touch-up applicator	Micaceous dark grey	0	210007123-00

Vario bus switch
VBW 600-0 DG

210006195

Page 2





Vario bus switch
VBW 600-0 DG

210006195

Page 3

VBW 600-0 W Vario bus switch

Product information

482 kB

[Download](#)

VBW 600-... Vario bus switch

Declaration of Conformity

760 kB

[Download](#)

Additional information

140 kB

[Download](#)