

Function unit audio  
door station Siedle  
Classic  
F CL A 02 N-0  
210007702-00

## Product description

Classic door station for the 1+n system with stainless steel front, brushed V4A. The GU CL 02-0 flush-mount housing is required for flush mounting.

### Components:

- CTLE 061-... door loudspeaker with integrated loudspeaker and microphone, voice volume can be adjusted
- 2 call buttons with backlit nameplate, exchangeable from the front

## Specifications

Ambient temperature: -20 °C to +55 °C  
Dimensions front panel (mm) W x H x D: 171 x 250 x 2

## Article information

Article designation	Article description	Colour/Material	KGAP article no.
F CL A 02 N-0	Function unit audio door station Siedle Classic	Brushed stainless steel	D 210007702-00

## Accessories

Article designation	Article description	Colour/Material	KG	SAP article no.
CTLE 061-01	Custom-fit door loudspeaker Siedle Classic	Others	E	200044819-01
GU CL 02-0	Flush-mount housing Siedle Classic	Hot-dip galvanized sheet steel	D	210007732-00
ZDS/CL	Pilfer safeguard	Black	D	200034998-00
ZNSM/CL-02	Metal Classic accessory nameplate	Others	D	200043063-00

## Spare parts

Article designation	Article description	Colour/Material	KG	SAP article no.
CL 02 Siedle Classic	Nameplate upper part call button	Clear glass	E	200029966-00
CL 02 Siedle Classic	Complete button without circuit board	Others	E	200044537-00



Function unit audio  
door station Siedle  
Classic  
F CL A 02 N-0

210007702

Page 2

**Article designation**

CL 02-2 Siedle Classic

**Article description**

Button circuit board

**Colour/Material**


Others

**KG**

E

**SAP article  
no.**


200044534-00



Function unit audio  
door station Siedle  
Classic  
F CL A 02 N-0

210007702

Page 3





Function unit audio  
door station Siedle  
Classic  
F CL A 02 N-0

210007702

Page 4

---

Siedle Classic Installation instructions

F CL.... Siedle Classic

Product information

1,4 MB

[Download](#)

Declaration of Conformity

8,1 MB

[Download](#)

Additional information

140 kB

[Download](#)