SSS SIEDLE

Function unit audio door station Siedle Classic
F CL A 03 R-0

210007706-00

Product description

Classic door station for the 6+n system with stainless steel front, brushed V4A. The GU CL 03-0 flush-mount housing is required for flush mounting.

Components:
• CTLE 051-… door loudspeaker with integrated loudspeaker and microphone, voice volume can be adjusted
• 3 call buttons with backlit nameplate, exchangeable from the front

Specifications

Ambient temperature:	–20 °C to +55 °C
Dimensions front panel (mm) W x H x D:	171 x 277 x 2

Article information

Article designation	Article description	Colour	KG	SAP article no.
F CL A 03 R-0	Function unit audio door station Siedle Classic	Brushed stainless steel	D	210007706-00

Accessories

Article designation	Article description	Colour	KG	SAP article no.
GU CL 03-0	Flush-mount housing Siedle Classic	Hot-dip galvanized sheet steel	D	210007733-00
ZDS/CL	Accessory anti-theft protection	Black	D	200034998-00
ZNSM/CL-02	Metal Classic accessory nameplate	Others	D	200043063-00

Spare parts

Article designation	Article description	Colour	KG	SAP article no.
CL 02 Siedle Classic	Nameplate upper part call button	Clear glass	E	200029966-00
CL 02 Siedle Classic	Complete button without circuit board	Others	E	200044537-00
CL 02-3 Siedle Classic	Button circuit board	Others	E	200044535-01

Function unit audio door station Siedle Classic
F CL A 03 R-0

210007706

Function unit audio door station Siedle Classic
F CL A 03 R-0

210007706

Siedle Classic Installation instructions	Product information	1,4 MB	Download
CTLE 051-02 Door loudspeaker 6+n	Product information	507 kB	Download
F CL.... Siedle Classic	Declaration of Conformity	8,1 MB	Download
REACH Information	Additional information	798 kB	Download