



Function unit pass-through letterbox video
Siedle Classic
F CL BD2V130 01 B-01
210007718-01

Product description

Classic pass-through letterbox for the In-Home bus with stainless steel front, brushed V4A. The GU CL BD2V130 01 B-0 flush-mount housing is required for flush mounting.

Components:

- CBCM 653-... camera with automatic day/night switchover (True Day/Night) and integrated infrared lighting. Horizontal/vertical pick-up angle: approx. 130°/ 100°
- CBTLE 050-... door loudspeaker with integrated loudspeaker and microphone, voice volume can be adjusted
- 1 call button with backlit nameplate, exchangeable from the front, acoustic feedback when pressing a call button can be activated
- 1 pass-through flap

Specifications

Ambient temperature: -20 °C to +55 °C
Dimensions front panel (mm) W x H x D: 312 x 487 x 2

Article information

Article designation	Article description	Colour	KGAP article no.
F CL BD2V130 01 B-01	Function unit pass-through letterbox video Siedle Classic	Brushed stainless steel	D 210007718-01

Accessories

Article designation	Article description	Colour	KG	SAP article no.
GU CL BD2V130 01 B-0	Pass-through letterbox for mounting in masonry Siedle Classic	Hot-dip galvanized sheet D steel		210007741-00

Spare parts

Article designation	Article description	Colour	KG	SAP article no.
BKV/RGA/RGF 611-...	Spare lock	Others	E	200029520-00
CL 02 Siedle Classic	Complete button without circuit board	Others	E	200044537-00



Function unit pass-through letterbox video
Siedle Classic
F CL BD2V130 01 B-01

210009954

Page 2

Article designation

CL 02-1 Siedle Classic

Article description

Button circuit board

Colour

Others

KG

E

SAP article no.


200044533-00



Function unit pass-through letterbox video
Siedle Classic
F CL BD2V130 01 B-01

210009954

Page 3





Function unit pass-
through letterbox video
Siedle Classic
F CL BD2V130 01 B-01

210009954

Page 4

Siedle Classic Installation instructions	Product information	1,4 MB	Download
CBTLE 051-05 Bus custom-fit door loudspeaker	Product information	615 kB	Download
F CL.... Siedle Classic	Declaration of Conformity	8,1 MB	Download
REACH Information	Additional information	824 kB	Download