

Bus video modulator  
BVM 650-0

210008126-00



## Product description

The bus video modulator in switch panel housing connects an analogue camera with the In-Home bus.

There are two operating modes to choose from, the analogue camera can be operated with or without a door station. A distance of up to 100 m between the camera and the BVM 650-... is permitted. Supply via the In-Home bus. A potential-free switching contact, e.g. for camera or light actuation, is available.

## Specifications

Contact type:	potential-free max. 30 V AC/DC, 1 A
Protection system:	IP 20
Ambient temperature:	0 °C to +40 °C
Horizontal pitch (HP):	3
Dimensions (mm) W x H x D:	53.5 x 89 x 60

## Article information

Article designation	Article description	Colour/Material	KG SAP article no.
BVM 650-0	Bus video modulator	Grey	D 210008126-00

## Spare parts

Article designation	Article description	Colour/Material	KG	SAP article no.
BVM 650-...	Coaxial connecting cable	Others	E	210008645-00

Bus video modulator  
BVM 650-0

210008126

Page 2





Bus video modulator  
BVM 650-0

210008126

Page 3

---

BVM 650-0 Bus video modulator

BVM 650 Bus video modulator

Product information

1,9 MB

[Download](#)

Declaration of Conformity

752 kB

[Download](#)

Additional information

140 kB

[Download](#)