SSS SIEDLE

Siedle Compact audio door station flush mounting
CAU 850-1-0 E

210009117-00

Product description

Siedle Compact audio door station flush mounting, for installation in the In-Home bus. With the functions calling, speech and door release.

Performance features:
• Integrated door loudspeaker
• Adjustable voice volume
• Number of integrated call buttons: 1
• Acoustic button acknowledgement can be activated
• Backlit nameplates exchangeable from the front
• Backlit info sign for house number, logos, opening times, etc.
• For flush mounting with brushed stainless steel panel

Specifications

Contact type:	contact 24 V, 2 A
Protection system:	IP 54
Ambient temperature:	–20 °C to +55 °C
Dimensions front panel (mm) W x H x D:	110 x 273 x 1
Dimensions housing (mm) W x H x D:	85 x 253 x 48

Article information

Article designation	Article description	Colour	KG	SAP article no.
CAU 850-1-0 E	Siedle Compact audio door station flush mounting	Brushed stainless steel	A	210009117-00

Spare parts

Article designation	Article description	Colour	KG	SAP article no.
CA 812-..., BCV/BCVU/CA/CAU/CV/CVU/ STA/STV 850-...	Loudspeaker	Others	E	200029867-00
CA 812-..., CA/CAU/CVU 850-..., CV 850-x-03, -04	Microphone	Others	E	200029868-00
CA 812-..., CA/CV 850-..., BCV 850-...	Siedle screw-turner	Others	E	200029931-00
CA 812-1, CA/CAU 850-1, BCV/BCVU/ CV/CVU 850-1-...	Nameplate superstructure	Clear glass	E	200029864-00

Siedle Compact audio door station flush mounting
CAU 850-1-0 E

210009117

Article designation	Article description	Colour	KG	SAP article no.
CA 812-1, CA/CAU 850-1, BCV/BCVU/ CV/CVU 850-1-...	Nameplate insert	White	E	200029869-00
CAU 850-1-0 E	Upper part of the housing	Brushed stainless steel	E	210009391-00

Siedle Compact audio door station flush mounting
CAU 850-1-0 E

210009117



Siedle Compact audio door station flush mounting
CAU 850-1-0 E

210009117

CAU 850-X-0 Siedle Compact audio door station flush mounting	Product information	1,4 MB	Download
CAU 850-X-0 Siedle Compact audio door station flush mounting	Declaration of Conformity	759 kB	Download
REACH Information	Additional information	798 kB	Download