



Siedle Compact video door station  
CV 850-1-03 E  
210009485-00

## Product description

Siedle Compact video door station, for installation in the In-Home bus or as a replacement device in the Siedle Basic video set. With the functions calling, speech, vision and door release.

### Performance features:

- Integrated camera with automatic day/night switchover, LED lighting and 2-stage heating
- Integrated door loudspeaker
- Adjustable voice volume
- Number of integrated call buttons: 1
- Acoustic button acknowledgement can be activated
- Backlit nameplates exchangeable from the front
- for surface mounting with brushed stainless steel panel

## Specifications


Contact type:	contact 24 V, 2 A
Protection system:	IP 54, IK 8
Ambient temperature:	-20 °C to +40 °C
Dimensions (mm) W x H x D:	82 x 226 x 35

## Article information

Article designation	Article description	Colour/Material	KGSAP article no.
CV 850-1-03 E	Siedle Compact video door station	Brushed stainless steel	D 210009485-00

## Spare parts

Article designation	Article description	Colour/Material	KG	SAP article no.
CA 812-..., BCV/BCVU/CA/CAU/CV/CVU/ Loudspeaker STA/STV 850-...		Others	E	200029867-00
CA 812-..., CA/CAU/CVU 850-..., CV 850-x-03, -04	Microphone	Others	E	200029868-00
CA 812-..., CA/CV 850-..., BCV 850-...	Siedle screw-turner	Others	E	200029931-00
CA 812-1, CA/CAU 850-1, BCV/BCVU/ CV/CVU 850-1-...	Nameplate superstructure	Clear glass	E	200029864-00
CA 812-1, CA/CAU 850-1, BCV/BCVU/ CV/CVU 850-1-...	Nameplate insert	White	E	200029869-00



Siedle Compact video  
door station  
CV 850-1-03 E

210009485

Page 2

Article designation	Article description	Colour/Material	KG	SAP article no.
CV 850-1/-2, CV 850-01/-02, BCV/BCVU 850-...	Microphone	Others	E	210011866-00




Siedle Compact video  
door station  
CV 850-1-03 E

210009485

Page 3





Siedle Compact video  
door station  
CV 850-1-03 E

210009485

Page 4

---

CV 850-x-03 E Siedle Compact video door station

Product information

1,8 MB

[Download](#)

Declaration of Conformity

140 kB

[Download](#)

Additional information

140 kB

[Download](#)