

Siedle IQ HTA  
 IQ HTA  
 210010100-00



## Product description

In-house telephone for 6+n technology with WLAN interface for mobile extension through the Siedle app.

With the call, speech, door release and light functions on the indoor station and on a smartphone with the Siedle app.

The storey call is only available on the in-house telephone.

Performance features:

- 2.4 GHz WLAN interface for the Siedle app
- Bluetooth 4.2 interface for commissioning
- Potential-free door release and light button
- Integrated audio privacy function
- Call volume up to max. 83 dB(A)
- Automatic update function when Internet connection is active
- The Siedle app behaves like an indoor device connected in parallel for the call

## Specifications

Operating voltage:	12–30 V DC
Operating current:	max. 300 mA
Contact type:	2 n.o. contacts 24 V, 1 A
Ambient temperature:	+5 °C to +40 °C
Dimensions (mm) W x H x D:	91 x 201 x 48

## Article information

Article designation	Article description	Colour	KG	SAP article no.
IQ HTA	Siedle IQ HTA	White	D	210010100-00

## Accessories

Article designation	Article description	Colour	KG	SAP article no.
HH 800-0	Hearing aid-compatible receiver	White	E	200087165-00
HT/NB 800-0 W	In-house telephone retrofit panel	White	D	210008889-00
NEO006.0-I-X-12	Power supply unit	Black	D	210010421-00
PSM 1 12 24	Line rectifier	Others	D	210010340-00
ZT 811-01 W	Table-top accessory	White	C	210006820-00



Siedle IQ HTA  
IQ HTA

210010100

Page 2

---

## Spare parts

---

Article designation	Article description	Colour	KG	SAP article no.
HT 811/840/850/870-... W	Receiver with no-tangle cord	White	E	200029573-00
HTA 811-...	Terminals	Yellow	E	200029884-00
IQ BTS/HTA/HTS	Terminals	Others	E	210008887-00

Siedle IQ HTA

IQ HTA

210010100

Page 3





Siedle IQ HTA  
IQ HTA

210010100

Page 4

---

Siedle IQ HTA	Product information	1,2 MB	Download
Siedle IQ HTA	Manual	454 kB	Download
Siedle IQ HTA	Declaration of Conformity	1,2 MB	Download
	Additional information	420 kB	Download