

Secure Controller  
SC 600-0

210010591-00



---

## Product description

Secure Controller as the central controller for managing access rights in private buildings and commercial properties.

### Performance features:

- 2 RS485 interfaces
- 4 doors per controller
- Protocol OSDP / Vario Bus
- Max. 500,000 users
- Max. 16 modules per controller
- Max. 64 controllers can be networked
- Log for 1,000,000 events
- Programming via web interface
- Wizard for easy commissioning

---

## Specifications

Operating voltage:	PoE in accordance with 802.3af (PoE class 3), 14–30 V DC
Operating current:	max. 115 mA
Contact type:	4 changeover switches 30 V DC, 10 A
Protection system:	IP 20
Ambient temperature:	0 °C to +40 °C
Dimensions (mm) W x H x D:	140 x 215 x 50

---

## Article information

Article designation	Article description	Colour/Material	KG SAP article no.
SC 600-0	Secure Controller	White	D 210010591-00

Secure Controller  
SC 600-0

210010591

Page 2





Secure Controller  
SC 600-0

210010591

Page 3

---

SC 600-0 Secure Controller	Product information	507 kB	Download
SC 600-0 Secure Controller	Declaration of Conformity	743 kB	Download
Tech Tool SC 600-0	Software	3,4 MB	Download
Sample file user administration SC 600	Programming template	0,4 kB	Download
	Commissioning instruction	1,6 MB	Download
	Commissioning instruction	1,1 MB	Download
	Additional information	43,6 kB	Download
	System manual	6,7 MB	Download