



Access server hardware
ASH 671-0 M
210010596-00

Product description

Access Server hardware M for the IP-based building communication system Siedle Access Professional for up to 640 users. The Access Professional basic licence is required for standard operation – 10 users are included. Additional users/functions can be added to the system by purchasing further user or application licences.

Components:

CPU: Intel Xeon E-2224

Working memory: 8 GB

Graphics: Onboard (VGA)

Hard disc: 240 GB SSD

LAN: 2 x gigabit

USB: 3.0

Specifications

Operating voltage:	100–240 V AC, 50–60 Hz
Typical current consumption:	70 W (max. 200 W)
Ambient temperature:	0 °C to +40 °C
Dimensions (mm) W x H x D:	437 x 43 x 249

Article information

Article designation	Article description	Colour/Material	KG SAP article no.
ASH 671-0 M	Access server hardware	Black	F 210010596-00

Accessories

Article designation	Article description	Colour/Material	KG	SAP article no.
ALFA 270-0	Access licence for connecting a non-Siedle device	Others	S	200042253-00
ALFC 270-0	Access licence non-Siedle device IP camera	Others	S	210011712-00
ALFM 270-0	Access licence function module	Others	S	210011713-00
ALFP 270-0	Access licence for non-Siedle panel device	Others	S	210008013-00
ALKNX 270-0	Access licence for KNX gateway	Others	S	210009245-00



Access server hardware
ASH 671-0 M

210010596

Page 2

Article designation	Article description	Colour/Material	KG	SAP article no.
ALSA 270-0	Access licence for Siedle app	Others	S	210010209-00
ALT 270-0	Access licence for telephony connection	Others	S	200042271-00
ALU 670-0	Access licence upgrade	Others	S	210010621-00
APR 670-0 10	Access Professional	Others	S	210005979-00
APR 670-0 B	Access Professional basic licence	Others	S	210010598-00
ASC 170-0	Access Software Concierge	Others	S	200042276-00
ASHT 170-0	Access Software In-house telephone	Others	S	200042275-00

Access server hardware
ASH 671-0 M

210010596

Page 3





Access server hardware
ASH 671-0 M

210010596

Page 4

ASH 671-0 M Access server hardware
ASH 671-0 M

Product information	306 kB	Download
Declaration of Conformity	1,3 MB	Download
Commissioning instruction	2 MB	Download
Commissioning instruction	1,8 MB	Download
Planning and Installation	1,3 MB	Download
Additional information	140 kB	Download
System manual	6,4 MB	Download