



Access door
loudspeaker for Siedle
Vario
ATLM 770-0 SM
210011519-00

Product description

Access door loudspeaker for Siedle Vario with integrated loudspeaker and microphone. Easy cabling thanks to pre-assembled, plug-in cable connection.

Performance features:

- LAN interface: RJ-45, 10/100 Mbits
- Front grille made of weather and UV-resistant polycarbonate
- Loudspeaker, voice volume can be adjusted
- Durable electret microphone, microphone sensitivity can be adjusted
- Audio codec: G.722
- Button acknowledgement tone
- Nameplate illumination of the call buttons can be controlled (time controlled or demand-driven)

Specifications

Operating voltage:	PoE in accordance with 802.3af
Ambient temperature:	-20 °C to +55 °C
Protection system:	IP 54, IK 09
Height of structure (mm):	1.4
Dimensions (mm) W x H x D:	99 x 99 x 33

Article information

Article designation	Article description	Colour/Material	KGSAP article no.
ATLM 770-0 SM	Access door loudspeaker for Siedle Vario	Silver metallic	F 210011519-00

Accessories

Article designation	Article description	Colour/Material	KG	SAP article no.
Vario 611 SM	Touch-up applicator	Silver metallic	0	210007117-00

Spare parts



Access door
loudspeaker for Siedle
Vario
ATLM 770-0 SM

210011519

Page 2

Article designation

Vario 611

Article description

Sealing frame modules

Colour/Material

Grey

KG

E

**SAP article
no.**

210007484-00

Access door
loudspeaker for Siedle
Vario
ATLM 770-0 SM

210011519

Page 3





Access door
loudspeaker for Siedle
Vario
ATLM 770-0 SM

210011519

Page 4

ATLM 770-0 Access door loudspeaker for Siedle Vario

Product information

797 kB

[Download](#)

Commissioning instruction

2,4 MB

[Download](#)

Additional information

109 kB

[Download](#)