

Surface-mount housing
GA 612-3/3-01 AG

210012253-00



Product description

Surface-mount housing in extruded aluminium sheath with zinc die-cast corner connectors and perforated steel floor plate for 9 function modules.

Completely powder-coated/painted, suitable for vertical or horizontal mounting. To accommodate mounting frames 3x MR 611-3/1-0, LED surface area lights LEDF 600-... or info sign module ISM 611-...

Specifications

Dimensions (mm) W x H x D: 332 x 332 x 36.5

Article information

| Article designation | Article description | Colour | KG | SAP article no. |
|---------------------|-----------------------|-----------------|----|-----------------|
| GA 612-3/3-01 AG | Surface-mount housing | Anthracite grey | A | 210012253-00 |

Accessories

| Article designation | Article description | Colour | KG | SAP article no. |
|---------------------|---------------------|-----------------|----|-----------------|
| MR 611-3/1-0 | Mounting frame | Brass | B | 200015591-00 |
| Vario 611 AG | Touch-up applicator | Anthracite grey | 0 | 210007124-00 |


Spare parts

| Article designation | Article description | Colour | KG | SAP article no. |
|---------------------|------------------------------------|--------|----|-----------------|
| GA 612-... | Surface-mount housing mounting kit | Others | E | 200029981-00 |
| MR 611-... | Key for mounting frame | Others | E | 210007513-00 |

Surface-mount housing
GA 612-3/3-01 AG

210012253

Page 2





Surface-mount housing
GA 612-3/3-01 AG

210012253

Page 3

| | | | |
|-------------------------------------|---------------------------|--------|----------|
| Vario 611 Installation instructions | Product information | 792 kB | Download |
| | Declaration of Conformity | 140 kB | Download |
| REACH Information | Additional information | 824 kB | Download |