

Surface-mount housing
GA 612-4/3-01 DG

210012266-00



Product description

Surface-mount housing in extruded aluminium sheath with zinc die-cast corner connectors and perforated steel floor plate for 12 function modules.

Completely powder-coated/painted, suitable for vertical or horizontal mounting. To accommodate MR 611-... mounting frame, LEDF 600-... LED surface area light or ISM 611-... info sign module.

Specifications

Dimensions (mm) W x H x D: 332 x 432 x 36.5

Article information

Article designation	Article description	Colour/Material	KG	SAP article no.
GA 612-4/3-01 DG	Surface-mount housing	Micaceous dark grey	A	210012266-00

Accessories

Article designation	Article description	Colour/Material	KG	SAP article no.
MR 611-4/1-0	Mounting frame	Brass	B	200015592-00
Vario 611 DG	Touch-up applicator	Micaceous dark grey	0	210007123-00

Spare parts

Article designation	Article description	Colour/Material	KG	SAP article no.
GA 612-...	Surface-mount housing mounting kit	Others	E	200029981-00
MR 611-...	Key for mounting frame	Others	E	210007513-00

Surface-mount housing
GA 612-4/3-01 DG

210012266

Page 2



Surface-mount housing
GA 612-4/3-01 DG

210012266

Page 3



Vario 611 Installation instructions

Product information

815 kB

[Download](#)

Declaration of Conformity

140 kB

[Download](#)

Additional information

140 kB

[Download](#)