

IQ Indoor
IQID-0

210012423-00



Product description

IQ Indoor - Video indoor station with 10.9 cm (4.3 inch) display for the Siedle IQ system. Operating mode adjustable: LAN (PoE) or WLAN (external power supply).

Performance features:

Audio

- Speaker 1 watt
- Voice volume adjustable in five stages
- Call volume adjustable in five stages up to max. 83 dB(A)
- Call differentiation between door call and storey call
- Audio codec G.722

Video display

- Display: 10.9 cm (4.3 inch)
- Video codec: MJPEG

Connectivity

- LAN interface: RJ45, 10/100 Mbits
- WLAN interface: 2.4 GHz (Wi-Fi 4 / IEEE 802.11n)
- Input terminals for storey call buttons
- Siedle app with active internet connection (service level for Siedle app service: 95 %)

Operation/display

- Ring tone switch-off with status display
- Buttons for volume setting
- Key button, e.g. for door opener
- Mouth button, e.g. for door call
- Status LED

Installation and housing

- Housing made of plastic (thermoplastic, ASA)
- Wall mounting or recessed in double device junction box

Specifications

Operating voltage:	48 V DC, PoE in accordance with 802.3af (PoE class 0)
Operating current:	max. 210 mA
Ambient temperature:	+5 °C to +40 °C
Dimensions (mm) W x H x D:	183 x 86 x 16.5/29

Article information



IQ Indoor
IQID-0

210012423

Page 2

Article designation

IQID-0

Article description

IQ Indoor

Colour

Signal white

KG SAP article no.

D 210012423-00

IQ Indoor
IQID-0

210012423

Page 3





IQ Indoor
IQID-0

210012423

Page 4

IQID-0 IQ Indoor	Product information	1,7 MB	Download
WLAN Usage Information Siedle IQ	Additional information	312 kB	Download
IQID-0 IQ Indoor	Manual	292 kB	Download
IQID-0	Declaration of Conformity	607 kB	Download
REACH Information	Additional information	824 kB	Download