


Bus standard line  
rectifier  
BSNG 650-0  
210012496-00



## Product description

Bus standard line rectifier for Siedle In-Home bus. For supplying and controlling the bus user audio/video. For new systems with max. 10 users, one bus door station supports two users.

AC voltage integrated, for door release and nameplate lighting for example.


## Specifications

Operating voltage:	230 V AC, +/-10 %, 50/60 Hz
Operating current:	200 mA
Output voltage:	27.5 V DC, 12 V AC
Output current:	0.5 A DC, 1 A AC
Fusing:	Primary fuse 1 T 250 mA L, secondary short circuit proof
Contact type:	2 n.o. contacts 24 V, 2 A
Protection system:	IP 30
Ambient temperature:	0 °C to +40 °C
Horizontal pitch (HP):	9
Dimensions (mm) W x H x D:	162 x 89 x 60

## Article information

Article designation	Article description	Colour/Material	KG SAP article no.
BSNG 650-0	Bus standard line rectifier	Black	A 210012496-00





Bus standard line  
rectifier  
BSNG 650-0

210012496

Page 3

---

BSNG 650-0 Bus standard line rectifier

Product information

672 kB

[Download](#)

Declaration of Conformity

574 kB

[Download](#)

Additional information

140 kB

[Download](#)