


IQ Set LAN
IQSL-0
210013218-00



Product description

IQ Set LAN - For new buildings consisting of video door station and video indoor station with 10.9 cm (4.3 inch) display for the Siedle IQ system with the functions calling, speech, vision and door release.

Scope of delivery:

- IQ Door (IQDS-...)
- IQ Indoor (IQID-...)
- PoE switch (GS305P)

Specifications

Operating voltage:	230 V AC, +/-10 %, 50/60 Hz
Contact type:	contact 15 V AC, 30 V DC, 2 A
Protection system:	door station IP 54
Ambient temperature:	door station -20 °C to +40 °C, indoor station +5 °C to +40 °C, PoE-Switch 0 °C to +40 °C
Dimensions (mm) W x H x D:	door station 110 x 226 x 37,5, indoor station 183 x 86 x 16,5/29, PoE-Switch 158 x 29 x 101

Article information

Article designation	Article description	Colour	KG	SAP article no.
IQSL-0	IQ Set LAN	Matt chrome	D	210013218-00

Accessories

Article designation	Article description	Colour	KG	SAP article no.
IQIO-0	IQ I/O	Black	D	210013117-00
ZBIQDS 1	Narrow accessory cover	Matt chrome	E	210013740-00
ZBIQDS 2	Wide accessory cover	Matt chrome	E	210013741-00

Spare parts

IQ Set LAN
IQSL-0

210013218

Page 2



Article designation

IQDS-...
IQDS-..., IQDM-...

Article description

Nameplate superstructure
Siedle security key

Colour

Others
Others

KG

E
E

**SAP article
no.**

210013743-00
210013841-00

IQ Set LAN

IQSL-0

210013218

Page 3





IQ Set LAN
IQSL-0

210013218

Page 4

IQDS-0 / IQDM-0 IQ Door	Product information	2,2 MB	Download
IQID-0 IQ Indoor	Product information	1,7 MB	Download
WLAN Usage Information Siedle IQ	Additional information	312 kB	Download
IQID-0 IQ Indoor	Manual	292 kB	Download
REACH Information	Additional information	824 kB	Download