SSS SIEDLE



Siedle Axiom In-Home
A 151-10 R

210013407-00

## Product description

Siedle Axiom In-Home for surface mounting is an indoor video intercom station with 7-inch touchscreen for the Siedle In-Home bus.
With the functions calling, speech, vision, door release, light, storey call/switching/control functions, message displays and internal communication.

Performance features:
• 17.8 cm (7") touchscreen, resolution 1024 x 600 pixel
• 2 buttons for quick and intuitive operation of the door functions
• Input terminals for storey call buttons
• Integrated switching relay for external signalling device in the case of door call or manual switching function
• Transfer of the device configuration from the bus programming software using SD card
• All the convenience functions of the Siedle In-Home bus can be used (see In-Home bus system manual: video)
• 15 switching functions and 15 messages in conjunction with the BSM/BSE bus switching module or BEM bus input module via BPS
• Selective dialling of door loudspeakers/cameras
• Integrated audio and video privacy function
• Parallel switching of max. 8 indoor stations
• Intuitive operating interface with situational user interfaces
• Main screen with navigation and tiles for switching functions/messages
• Favourites can be defined for quick operation when there is a door call
• Data protection-compliant video memory function
• Message history with date and time
• Voice volume and call volume can be adjusted in 5 stages
• Full screen display for the door video can be selected while a call is active
• Ring tone muting and status display
• Call differentiation for 2 door calls, 3 group calls, storey call, internal call
• Call generator with 11 ring tone sequences, including chime

## Specifications

| | |
|---|---|
| Operating voltage: | 20–30 V DC |
| Operating current: | max. 300 mA |
| Contact type: | potential-free S1/S1 max. 15 V AC, 30 V DC, 1 A switching time 1 sec - 19 min |
| Ambient temperature: | +5 °C to +40 °C |
| Dimensions (mm) W x H x D: | 185 x 144 x 29.5 |

Siedle Axiom In-Home
A 151-10 R

210013407

Siedle Axiom In-Home
A 151-10 R

210013407



| | | | |
|---|---|---|---|
| A 151-10 Siedle Axiom In-Home | Product information | 1 MB | Download |
| A 150-10/A 151-10 Siedle Axiom In-Home | Manual | 1,4 MB | Download |
| REACH Information | Additional information | 798 kB | Download |
| A 150 Firmware V632e004 + GUI V01.00.03.01 | Firmware | 2,4 MB | Download |